Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(786) 599-1806
http://accuratetestlab.com

Provida D8 20mg Fruit Chew

Sample ID: 2608AFL1275.4456
Strain: Provida D8 20mg Fruit Chew
Matrix: Ingestible
Type: Soft Chew
Unit Weight: 3.9153 g

Internal Lab ID: ATL-38266

Received: 08/04/2026
Completed: 08/24/2026
Batch#: G125066A

Client
Provida Health
Lic. #
757 SE 17th Street suite 289
Fort Lauderdale, FL 33316

Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	08/06/2026	Complete
Residual Solvents	08/21/2026	Pass
Microbials	08/21/2026	Pass
Mycotoxins	08/21/2026	Pass
Pesticides	08/21/2026	Pass
Heavy Metals	08/21/2026	Pass
Foreign Matter	08/21/2026	Pass

Basic Potency

Complete

ND	ND	0.513%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD %	LOQ %	Result %	Result mg/unit
CBDVa	0.001	0.003	ND	ND
CBDV	0.001	0.003	ND	ND
CBDa	0.001	0.003	ND	ND
CBGa	0.001	0.003	ND	ND
CBG	0.001	0.003	ND	ND
CBD	0.001	0.003	ND	ND
THCV	0.001	0.003	ND	ND
Δ8-THCV	0.001	0.003	ND	ND
THCVa	0.001	0.003	ND	ND

Analyte	LOD %	LOQ %	Result %	Result mg/unit
CBN	0.001	0.003	ND	ND
Δ9-THC	0.001	0.003	ND	ND
Δ8-THC	0.001	0.003	0.513	20.09
(6aR,9S)-d10-THC	0.001	0.003	ND	ND
(6aR,9R)-d10-THC	0.001	0.003	ND	ND
CBC	0.001	0.003	ND	ND
CBCa	0.001	0.003	ND	ND
THCa	0.001	0.003	ND	ND
Total			**0.513**	**20.09**

ACCURATE TEST LAB

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2
Date Tested: 08/06/2026
Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT	NT	Pass
Not Tested	Not Tested	*Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3*
Document ID:	*Document ID:*	Foreign Matter
Moisture Content	Water Activity	

PJLA Testing
Accreditation #1 18038

ilac-MRA

Lise Berthe-Laurent
Laboratory Director
08/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

confident

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(786) 599-1806
http://accuratetestlab.com

Provida D8 20mg Fruit Chew

Sample ID: 2608AFL1275.4456
Strain: Provida D8 20mg Fruit Chew
Matrix: Ingestible
Type: Soft Chew
Unit Weight: 3.9153 g

Internal Lab ID: ATL-38266

Received: 08/04/2026
Completed: 08/24/2026
Batch#: G125066A

Client
Provida Health
Lic. #
757 SE 17th Street suite 289
Fort Lauderdale, FL 33316

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Abamectin	13.280	39.840	300	ND	Pass
Acephate	13.707	41.120	3000	ND	Pass
Acequinocyl	1.347	4.040	2000	ND	Pass
Acetamiprid	1.353	4.060	3000	ND	Pass
Aldicarb	13.280	39.840	100	ND	Pass
Azoxystrobin	1.340	4.020	3000	ND	Pass
Bifenazate	1.350	4.050	3000	ND	Pass
Bifenthrin	1.330	3.990	500	ND	Pass
Boscalid	1.347	4.040	3000	ND	Pass
Captan	11.177	33.530	3000	ND	Pass
Carbaryl	13.600	40.800	500	ND	Pass
Carbofuran	1.330	3.990	100	ND	Pass
Chlorantraniliprole	13.413	40.240	3000	ND	Pass
Chlordane	6.720	20.160	100	ND	Pass
Chlorfenapyr	13.400	40.200	100	ND	Pass
Chlormequat Chloride	13.520	40.560	3000	ND	Pass
Chlorpyrifos	13.373	40.120	100	ND	Pass
Clofentezine	1.353	4.060	500	ND	Pass
Coumaphos	1.357	4.070	100	ND	Pass
Cyfluthrin	11.150	33.450	1000	ND	Pass
Cypermethrin	11.157	33.470	1000	ND	Pass
Daminozide	13.320	39.960	100	ND	Pass
Diazinon	1.337	4.010	200	ND	Pass
Dichlorvos	13.467	40.400	100	ND	Pass
Dimethoate	1.353	4.060	100	ND	Pass
Dimethomorph	1.340	4.020	3000	ND	Pass
Ethoprophos	1.337	4.010	100	ND	Pass
Etofenprox	13.453	40.360	100	ND	Pass
Etoxazole	1.337	4.010	1500	ND	Pass
Fenhexamid	1.347	4.040	3000	ND	Pass
Fenoxycarb	1.347	4.040	100	ND	Pass
Fenpyroximate	1.340	4.020	2000	ND	Pass
Fipronil	1.357	4.070	100	ND	Pass
Flonicamid	1.333	4.000	2000	ND	Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Fludioxonil	1.347	4.040	3000	ND	Pass
Hexythiazox	1.333	4.000	2000	ND	Pass
Imazalil	13.427	40.280	100	ND	Pass
Imidacloprid	13.573	40.720	3000	ND	Pass
Kresoxim Methyl	13.600	40.800	1000	ND	Pass
Malathion	13.573	40.720	2000	ND	Pass
Metalaxyl	1.340	4.020	3000	ND	Pass
Methiocarb	1.343	4.030	100	ND	Pass
Methomyl	13.467	40.400	100	ND	Pass
Mevinphos	13.507	40.520	100	ND	Pass
Myclobutanil	1.327	3.980	3000	ND	Pass
Naled	13.427	40.280	500	ND	Pass
Oxamyl	13.467	40.400	500	ND	Pass
Paclobutrazol	1.350	4.050	100	ND	Pass
Parathion Methyl	13.520	40.560	100	ND	Pass
Pentachloronitrobenzene	6.687	20.060	200	ND	Pass
Permethrin	1.337	4.010	1000	ND	Pass
Phosmet	13.467	40.400	200	ND	Pass
Piperonyl Butoxide	1.340	4.020	3000	ND	Pass
Prallethrin	13.467	40.400	400	ND	Pass
Propiconazole	1.347	4.040	1000	ND	Pass
Propoxur	1.350	4.050	100	ND	Pass
Pyrethrins			1000	ND	Pass
Pyridaben	1.347	4.040	3000	ND	Pass
Spinetoram			3000	ND	Pass
Spinosad			3000	ND	Pass
Spiromesifen	1.340	4.020	3000	ND	Pass
Spirotetramat	1.327	3.980	3000	ND	Pass
Spiroxamine	1.330	3.990	100	ND	Pass
Tebuconazole	1.353	4.060	1000	ND	Pass
Thiacloprid	1.337	4.010	100	ND	Pass
Thiamethoxam	1.327	3.980	1000	ND	Pass
Trifloxystrobin	1.327	3.980	3000	ND	Pass

Document ID: CoA-2 Pesticides Rev. 1, Test Method: TM-1
Date Tested: 08/21/2026
Pesticide via LC-MS/MS and GC-MS/MS

PJLA Testing
Accreditation #1 108038

ilac-MRA

Lise Berthe-Laurent
Laboratory Director
08/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

confident

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Provida D8 20mg Fruit Chew

Sample ID: 2608AFL1275.4456
Strain: Provida D8 20mg Fruit Chew
Matrix: Ingestible
Type: Soft Chew
Unit Weight: 3.9153 g

Internal Lab ID: ATL-38266

Received: 08/04/2026
Completed: 08/24/2026
Batch#: G125066A

Client
Provida Health
Lic. #
757 SE 17th Street suite 289
Fort Lauderdale, FL 33316

Microbials

Pass

Analyte	LOD	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Shiga Toxin-Producing E. coli	1	1	Not Detected in 1g	Pass
Aspergillus flavus	1	1	Not Detected in 1g	Pass
Aspergillus fumigatus	1	1	Not Detected in 1g	Pass
Aspergillus terreus	1	1	Not Detected in 1g	Pass
Aspergillus niger	1	1	Not Detected in 1g	Pass
Salmonella	1	1	Not Detected in 1g	Pass
Total Yeast & Mold	10	100000	ND	Pass

Document ID: CoA-3 Microbials Rev. 2, Test Method: TM-4.1, TM-4.2
Date Tested: 08/21/2026

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Aflatoxin B1	1.35	4.04		ND	Tested
Aflatoxin B2	1.33	4.00		ND	Tested
Aflatoxin G1	1.35	4.04		ND	Tested
Aflatoxin G2	1.33	4.00		ND	Tested
Ochratoxin A	13.47	40.40	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Document ID: CoA-7 Mycotoxins Rev. 1, Test Method: TM-1
Date Tested: 08/21/2026
Pesticides and Mycotoxins testing are subcontracted to an ISO/IEC 17025 accredited laboratory

Foreign Matter

Pass

Analyte	Limit	Result	Status
	% by weight	% by weight	
Mold, Mildew, Fungus, Hair, Or Insects	1% wt/wt or >10% total sample surface area	ND	Pass
Packaging Contaminants, Processing Waste, Or Other By-Products	1% wt/wt or >10% total sample surface area	ND	Pass
Feces	>0.5 mg/kg	ND	Pass
FM Other		ND	Pass

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Date Tested: 08/21/2026

PJLA Testing
Accreditation #1 108038

Lise Berthe-Laurent
Laboratory Director
08/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(786) 599-1806
http://accuratetestlab.com

Provida D8 20mg Fruit Chew

Sample ID: 2608AFL1275.4456
Strain: Provida D8 20mg Fruit Chew
Matrix: Ingestible
Type: Soft Chew
Unit Weight: 3.9153 g

Internal Lab ID: ATL-38266

Received: 08/04/2026
Completed: 08/24/2026
Batch#: G125066A

Client
Provida Health
Lic. #
757 SE 17th Street suite 289
Fort Lauderdale, FL 33316

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
1,1-Dichloroethene		1.78	8	ND	Pass
1,2-Dichloroethane		1.78	2	ND	Pass
1,4-Dioxane		1.78		ND	Tested
2,2-Dimethylbutane		0.36		ND	Tested
2,3-Dimethylbutane		0.36		ND	Tested
2-Butanol		1.78		ND	Tested
2-Ethoxyethanol		3.55		ND	Tested
2-Methylpentane		0.36		ND	Tested
3-Methylpentane		0.36		ND	Tested
Acetone		1.78	750	ND	Pass
Acetonitrile		17.64	60	ND	Pass
Benzene		0.02	1	ND	Pass
Chloroform		0.07	2	ND	Pass
Cumene		1.78		ND	Tested
Cyclohexane		1.78		ND	Tested
Ethanol		36.75	5000	<36.75	Pass
Ethyl Acetate		10.10	400	ND	Pass
Ethylbenzene		0.44		ND	Tested
Ethyl Ether		1.78	500	ND	Pass
Ethylene Glycol		56.81		ND	Tested
Ethylene Oxide		1.78	5	ND	Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
n-Heptane		1.78	5000	ND	Pass
Isobutane		1.78		ND	Tested
Isopentane		0.59		ND	Tested
Isopropanol		26.11	500	ND	Pass
Isopropyl Acetate		1.78		ND	Tested
m-Xylene + p-Xylene		0.89		ND	Tested
Methanol		17.73	250	<17.73	Pass
Methylene Chloride		1.78	125	ND	Pass
n-Butane		0.89		ND	Tested
n-Hexane		0.36		ND	Tested
n-Pentane		0.59		ND	Tested
Neopentane		0.59		ND	Tested
o-Xylene		0.44		ND	Tested
Propane		7.15	5000	ND	Pass
Tetrahydrofuran		1.78		ND	Tested
Toluene		2.16	150	ND	Pass
Trichloroethene		1.78	25	ND	Pass
Hexanes			250	ND	Pass
Butanes			5000	ND	Pass
Pentanes			750	ND	Pass
Xylenes		12.00	150	ND	Pass

Document ID: CoA-6 Residual Solvents Rev. 2, Test Method: TM-3
Date Tested: 08/21/2026
Residual Solvents via HS-GC-MS

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Arsenic	16.1	48.3	1500	ND	Pass
Cadmium	16.1	48.3	500	ND	Pass
Lead	16.1	48.3	500	ND	Pass
Mercury	16.1	48.3	3000	ND	Pass

Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: TM-9
Date Tested: 08/21/2026

PJLA Testing
Accreditation #1 108038

ilac-MRA

Lise Berthe-Laurent
Laboratory Director
08/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

confident

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.